



FUEGO 

Helmet

[Advanced Head Protection]

The alternate solution in advanced head protection for Fire Fighter's attending types of operations including, structural fire fighting, rescue operations, road traffic collisions and more...

MSA

FUEGO

Helmet

[Structural
Fire-Fighting]

[Mesh visor]



[External face shield]



[XP/XPLED lamp]



[EN166 goggles]



[Communication systems]



[Road
Traffic
Collisions]

[Wool integral curtain]



[Aluminized neck curtain]



[Wool neck curtain]



[Forest Work
and Various
Operations]

MSA



[General Specifications]

Engineered and produced in MSA GALLET, the World leader in Head Protection and Centre of Excellence of the MSA Group, **FUEGO** is the perfect head protection solution for Fire & Rescue Services and Emergency Services demanding high performance as well as being cost effective without compromise.

Thanks to the helmet's basic maintenance and adjustment procedures due to extremely simple product design, this allows the end user to confidently maintain, adjust and secure the helmet safely prior to use.

EN443 certified, using high quality materials for all of its elements, **FUEGO** provides a very high level of protection against the main risks encountered in structural fire-fighting operations : heat, flame, shock and electrical hazards. Its lightweight and flexibility make it also a good solution for other operations such as road traffic collision rescue, medical assistance and road clearance.

[Technical Specifications]

Product reference	GA2901* (*according to the helmet color)
Application	Structural Fire fighting, various rescue missions, forestal work
Performance	EN443: 1997, [14 kW/m ²], E2, E3 Flame Engulfment test
Shell	Glass Fiber charged, high temperature polyamide shell
Headband	Quick adjustment headband with Velcro fastening, height adjustment (2 on the front, 3 on the rear)
Chinstrap	4 point chinstrap, with 4 adjustments (2 on the front, 2 on the rear), for optimal stability
Interfaces	Built-in interfaces for accessories (lamp, external face shield), including adjustment capability (lamp angular position)
Sizes	52 to 64 cm
Weight	1050 g (± 30 g) without accessories
Available colors	Red, white, black, fluorescent yellow, photoluminescent

[Options and Accessories]

Lamp XP LED (Atex zone 1)	GA1464	Communication systems	GA0103xxxx (Micro system) GA0102xxxx (Osteo system)
Lamp L1 + adapter (Atex zone 0)	GA1466	Wool integral curtain	GA2920
Mesh Visor (EN1731)	SOR60060 (metal)	Aluminised neck curtain	GA2921
Clear Polycarbonate face shield (EN166)	SOR60040 (20 cm length) SOR60041 (16 cm length) SOR60042 (10 cm length)	Wool neck curtain	GA2922
		FUEGO face shield with interface	GA2919
		Google mask (EN 166)	GA3007





Thank you for reading this data sheet.

For pricing or for further information, please contact us at our UK Office, using the details below.



UK Office

Keison Products,

P.O. Box 2124, Chelmsford, Essex, CM1 3UP, England.

Tel: +44 (0)1245 600560

Fax: +44 (0)1245 808399

Email: sales@keison.co.uk

Please note - Product designs and specifications are subject to change without notice. The user is responsible for determining the suitability of this product.